



All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for [] Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Show 20 Sort by Send to

About Entrez

Text Version

All: 220 Review: 58

Items 1 - 20 of 220

Page 1 of 11 Next

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
My NCBI (Cubby)

Related Resources

Order Documents
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

1: [Horn ME, Pappu KM, Bailey MR, Clough RC, Barker M, Jilka JM, Howard JA, Streatfield SJ](#) Related Articles, Links



Advantageous features of plant-based systems for the development of HIV vaccines.

J Drug Target. 2003;11(8-10):539-45. Review.
PMID: 15203923 [PubMed - indexed for MEDLINE]

2: [Koprowski H](#) Related Articles, Links



[Old and new prescriptions for infectious diseases and the newest recipes for biomedical products in plants]

Arch Immunol Ther Exp (Warsz). 2002;50(6):365-9. Polish.
PMID: 12549429 [PubMed - indexed for MEDLINE]

3: [Lamphear BJ, Jilka JM, Kesi L, Welter M, Howard JA, Streatfield SJ](#) Related Articles, Links



A corn-based delivery system for animal vaccines: an oral transmissible gastroenteritis virus vaccine boosts lactogenic immunity in swine.

Vaccine. 2004 Jun 23;22(19):2420-4.
PMID: 15193404 [PubMed - indexed for MEDLINE]

4: [Streatfield SJ, Jilka JM, Hood EE, Turner DD, Bailey MR, Mayor JM, Woodard SL, Beifuss KK, Horn ME, Delaney DE, Tizard IR, Howard JA](#) Related Articles, Links



Plant-based vaccines: unique advantages.

Vaccine. 2001 Mar 21;19(17-19):2742-8.
PMID: 11257418 [PubMed - indexed for MEDLINE]

5: [Lamphear BJ, Streatfield SJ, Jilka JM, Brooks CA, Barker DK, Turner DD, Delaney DE, Garcia M, Wiggins B, Woodard SL, Hood EE, Tizard IR, Lawhorn B, Howard JA](#) Related Articles, Links



Delivery of subunit vaccines in maize seed.

J Control Release. 2002 Dec 13;85(1-3):169-80.
PMID: 12480322 [PubMed - indexed for MEDLINE]



















6: [Streatfield SJ, Lane JR, Brooks CA, Barker DK, Poage ML, Mayor JM, Lamphear BJ, Drees CF, Jilka JM, Hood EE, Howard JA](#) Related Articles, Links






Corn as a production system for human and animal vaccines.

Vaccine. 2003 Jan 30;21(7-8):812-5.
PMID: 12531366 [PubMed - indexed for MEDLINE]

7: [Streatfield SJ, Howard JA](#) Related Articles, Links

-  **Plant-based vaccines.**
Int J Parasitol. 2003 May;33(5-6):479-93. Review.
PMID: 12782049 [PubMed - indexed for MEDLINE]
-  **8:** [Tacket CO, Pasetti MF, Edelman R, Howard JA, Streatfield S.](#) [Related Articles, Links](#)
-  **Immunogenicity of recombinant LT-B delivered orally to humans in transgenic corn.**
Vaccine. 2004 Oct 22;22(31-32):4385-9.
PMID: 15474732 [PubMed - indexed for MEDLINE]
-  **9:** [Mason HS, Warzecha H, Mor T, Arntzen CJ.](#) [Related Articles, Links](#)
-  **Edible plant vaccines: applications for prophylactic and therapeutic molecular medicine.**
Trends Mol Med. 2002 Jul;8(7):324-9. Review.
PMID: 12114111 [PubMed - indexed for MEDLINE]
-  **10:** [Smith ML, Keegan ME, Mason HS, Shuler ML.](#) [Related Articles, Links](#)
-  **Factors important in the extraction, stability and in vitro assembly of the hepatitis B surface antigen derived from recombinant plant systems.**
Biotechnol Prog. 2002 May-Jun;18(3):538-50. Erratum in: Biotechnol Prog. 2002 Jul-Aug;18(4):912.
PMID: 12052071 [PubMed - indexed for MEDLINE]
-  **11:** [Streatfield SJ, Howard JA.](#) [Related Articles, Links](#)
-  **Plant production systems for vaccines.**
Expert Rev Vaccines. 2003 Dec;2(6):763-75. Review.
PMID: 14711360 [PubMed - indexed for MEDLINE]
-  **12:** [Locher CP, Putnam D, Langer R, Witt SA, Ashlock BM, Levy JA.](#) [Related Articles, Links](#)
-  **Enhancement of a human immunodeficiency virus env DNA vaccine using a novel polycationic nanoparticle formulation.**
Immunol Lett. 2003 Dec 15;90(2-3):67-70.
PMID: 14687705 [PubMed - indexed for MEDLINE]
-  **13:** [Fooks AR.](#) [Related Articles, Links](#)
-  **Development of oral vaccines for human use.**
Curr Opin Mol Ther. 2000 Feb;2(1):80-6. Review.
PMID: 11249655 [PubMed - indexed for MEDLINE]
-  **14:** [Sala F, Manuela Rigano M, Barbante A, Basso B, Walmsley AM, Castiglione S.](#) [Related Articles, Links](#)
-  **Vaccine antigen production in transgenic plants: strategies, gene constructs and perspectives.**
Vaccine. 2003 Jan 30;21(7-8):803-8. Review.
PMID: 12531364 [PubMed - indexed for MEDLINE]
-  **15:** [Leung L, Srivastava IK, Kan E, Legg H, Sun Y, Greer C, Montefiori DC, zur Megede J, Barnett SW.](#) [Related Articles, Links](#)
-  **Immunogenicity of HIV-1 Env and Gag in baboons using a DNA prime/protein boost regimen.**
AIDS. 2004 Apr 30;18(7):991-1001.
PMID: 15096801 [PubMed - indexed for MEDLINE]
-  **16:** [Warzecha H, Mason HS.](#) [Related Articles, Links](#)



-  **Benefits and risks of antibody and vaccine production in transgenic plants.**
J Plant Physiol. 2003 Jul;160(7):755-64. Review.
PMID: 12940544 [PubMed - indexed for MEDLINE]
- ☐ **17:** [Warzecha H, Mason HS, Lane C, Tryggvesson A, Rybicki E, Williamson AL, Clements JD, Rose RC.](#) [Related Articles](#), [Links](#)
Oral immunogenicity of human papillomavirus-like particles expressed in potato.
J Virol. 2003 Aug;77(16):8702-11.
PMID: 12885889 [PubMed - indexed for MEDLINE]
- ☐ **18:** [Ellenberger D, Li B, Smith J, Yi H, Folks T, Robinson H, Butera S.](#) [Related Articles](#), [Links](#)
Optimization of a multi-gene HIV-1 recombinant subtype CRF02_AG DNA vaccine for expression of multiple immunogenic forms.
Virology. 2004 Feb 5;319(1):118-30.
PMID: 14967493 [PubMed - indexed for MEDLINE]
- ☐ **19:** [Mason HS, Amtzen CJ.](#) [Related Articles](#), [Links](#)
 **Transgenic plants as vaccine production systems.**
Trends Biotechnol. 1995 Sep;13(9):388-92. Review.
PMID: 7546570 [PubMed - indexed for MEDLINE]
- ☐ **20:** [Tregoning J, Maliga P, Dougan G, Nixon PJ.](#) [Related Articles](#), [Links](#)
 **New advances in the production of edible plant vaccines: chloroplast expression of a tetanus vaccine antigen, TetC.**
Phytochemistry. 2004 Apr;65(8):989-94. Review.
PMID: 15110679 [PubMed - indexed for MEDLINE]


Items 1 - 20 of 220

Page of 11 [Next](#)Display Show Sort by Send to

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Mar 29 2005 17:30:14



National Library of Medicine 

My NCBI
[\[Sign In\]](#) [\[Regis\]](#)

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search for

Limits Preview/Index History Clipboard Details

Display Show Sort by Send to

All: 1 Review: 1

About Entrez

Text Version

Entrez PubMed
Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
My NCBI (Cubby)

Related Resources
Order Documents
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ 1: J Drug Target. 2003;11(8-10):539-45.

[Related Articles, Links](#)

MetaPress

Advantageous features of plant-based systems for the development of HIV vaccines.

Horn ME, Pappu KM, Bailey MR, Clough RC, Barker M, Jilka JM, Howard JA, Streatfield SJ.

ProdiGene, College Station, TX 77845, USA.

Plants have recently become an attractive option for the production of recombinant proteins. Plant-based systems can be used to produce many classes of foreign proteins including candidate vaccine antigens. The selected antigen can be purified from plant material prior to delivery by the preferred route, or alternatively delivered orally in edible plant material that has been processed to give a homogeneous and stable product. Several plant species have been used to express a wide range of vaccine candidates with tobacco, potato and corn being particularly favored. Corn seed is especially well suited to various food processing technologies that generate dry homogeneous material suitable for extended storage and refrigeration-free transport and distribution. Many antigens have been expressed in corn and assessed for efficacy in trials with generally positive results. Candidate HIV vaccines are particularly good targets for plant-based oral delivery since there is a great need for an easily distributed affordable vaccine that could be administered without injection and induce strong mucosal immune responses. As a first step in evaluating plant expression technology with a relevant antigen that might easily be tested in an animal system, we expressed the SIV major surface glycoprotein gp130 (analogous to HIV gp120) in corn seed. Expression levels were achieved that are compatible with conducting oral delivery trials in animals.

Publication Types:

- Review
- Review, Tutorial

PMID: 15203923 [PubMed - indexed for MEDLINE]

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)☐ [Generate Collection](#) [Print](#)

L2: Entry 39 of 49

File: DWPI

Aug 26, 2004

DERWENT-ACC-NO: 1994-302685

DERWENT-WEEK: 200457

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: New mammalian viral immunogen, vectors, transgenic plants and food - are used as anti-viral vaccines, esp. by eating transgenic plants, e.g. tomatoes

INVENTOR: ARNTZEN, C J; LAM, D M ; MASON, H S ; LAM, D

PRIORITY-DATA: 1993US-0026393 (March 4, 1993), 1991US-0750049 (August 26, 1991), 1996US-0481291 (August 23, 1996), 1993US-0156508 (November 23, 1993), 1995US-0479742 (June 7, 1995), 1998US-0111330 (July 7, 1998), 2000US-0593908 (June 14, 2000), 2001US-0816846 (March 23, 2001), 1995US-0481552 (June 7, 1995), 2000US-0676734 (September 29, 2000), 2001US-0925990 (August 9, 2001), 2001US-0918937 (July 31, 2001), 2003US-0733135 (December 11, 2003)

[Search Selected](#)[Search All](#)[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> US 20040166121 A1	August 26, 2004		000	A01H001/00
<input type="checkbox"/> WO 9420135 A1	September 15, 1994		058	A61K039/00
<input type="checkbox"/> AU 9468133 A	September 26, 1994		000	A61K039/00
<input type="checkbox"/> EP 728014 A1	August 28, 1996	E	000	A61K039/00
<input type="checkbox"/> US 5612487 A	March 18, 1997		025	A01H001/00
<input type="checkbox"/> EP 728014 A4	January 1, 1997		000	A61K039/00
<input type="checkbox"/> US 6034298 A	March 7, 2000		000	A01H001/04
<input type="checkbox"/> US 20010053367 A1	December 20, 2001		000	A61K039/12
<input type="checkbox"/> US 20020006411 A1	January 17, 2002		000	A61K039/00
<input type="checkbox"/> US 20030138456 A1	July 24, 2003		000	A01H001/00

INT-CL (IPC): [A01 H 1/00](#); [A01 H 1/04](#); [A01 H 5/00](#); [A61 K 35/78](#); [A61 K 39/00](#); [A61 K 39/12](#); [A61 K 39/215](#); [A61 K 39/225](#); [A61 K 39/29](#); [A61 K 47/00](#); [C07 H 21/04](#); [C07 K 13/00](#); [C07 K 14/02](#); [C07 K 15/00](#); [C07 K 15/04](#); [C12 N 5/04](#); [C12 N 7/01](#); [C12 N 15/00](#); [C12 N 15/33](#); [C12 N 15/34](#); [C12 N 15/40](#); [C12 N 15/50](#); [C12 N 15/51](#); [C12 N 15/82](#); [C12 N 15/84](#); [C12 P 21/02](#)

ABSTRACTED-PUB-NO: US 5612487A

BASIC-ABSTRACT:

An immunogen (I) derived from a mammalian virus is new and consists of a protein which is antigenic in its native state and is expressed in a plant.

Also claimed are: (i) a transgenic plant expressing (I); (ii) a food contg. at least a portion of (I); and (iii) a plasmid vector or DNA fragment for transforming a plant and comprising DNA encoding (I) operably linked to a plant-functional promoter.

USE - (I) may be used as an anti-viral vaccine and is administered by standard vaccine introduction or by consumption of the edible portion of the transgenic plants, pref. in fruit or vegetable juice. The plant may be a tomato, tobacco or potato plant.

ABSTRACTED-PUB-NO:

US 6034298A

EQUIVALENT-ABSTRACTS:

A transgenic tobacco plant comprising a DNA sequence encoding a recombinant hepatitis B viral surface antigen protein, wherein said plant is capable of synthesizing a recombinant hepatitis B viral surface antigen protein which assembles into antigenic particles.

An immunogen (I) derived from a mammalian virus is new and consists of a protein which is antigenic in its native state and is expressed in a plant.

Also claimed are: (i) a transgenic plant expressing (I); (ii) a food contg. at least a portion of (I); and (iii) a plasmid vector or DNA fragment for transforming a plant and comprising DNA encoding (I) operably linked to a plant-functional promoter.

USE - (I) may be used as an anti-viral vaccine and is administered by standard vaccine introduction or by consumption of the edible portion of the transgenic plants, pref. in fruit or vegetable juice. The plant may be a tomato, tobacco or potato plant.

US20010053367A

An immunogen (I) derived from a mammalian virus is new and consists of a protein which is antigenic in its native state and is expressed in a plant.

Also claimed are: (i) a transgenic plant expressing (I); (ii) a food contg. at least a portion of (I); and (iii) a plasmid vector or DNA fragment for transforming a plant and comprising DNA encoding (I) operably linked to a plant-functional promoter.

USE - (I) may be used as an anti-viral vaccine and is administered by standard vaccine introduction or by consumption of the edible portion of the transgenic plants, pref. in fruit or vegetable juice. The plant may be a tomato, tobacco or potato plant.

US20020006411A

An immunogen (I) derived from a mammalian virus is new and consists of a protein which is antigenic in its native state and is expressed in a plant.

Also claimed are: (i) a transgenic plant expressing (I); (ii) a food contg. at least a portion of (I); and (iii) a plasmid vector or DNA fragment for transforming a plant and comprising DNA encoding (I) operably linked to a plant-functional promoter.

USE - (I) may be used as an anti-viral vaccine and is administered by standard vaccine introduction or by consumption of the edible portion of the transgenic plants, pref. in fruit or vegetable juice. The plant may be a tomato, tobacco or potato plant.

WO 9420135A

ABSTRACTED-PUB-NO: US 5612487A

EQUIVALENT-ABSTRACTS: A transgenic tobacco plant comprising a DNA sequence encoding a recombinant hepatitis B viral surface antigen protein, wherein said plant is capable of synthesizing a recombinant hepatitis B viral surface antigen protein which assembles into antigenic particles. US 6034298A An immunogen (I) derived from a mammalian virus is new and consists of a protein which is antigenic in its native state and is expressed in a plant. Also claimed are: (i) a transgenic plant expressing (I); (ii) a food contg. at least a portion of (I); and (iii) a plasmid vector or DNA fragment for transforming a plant and comprising DNA encoding (I) operably linked to a plant-functional promoter. USE - (I) may be used as an anti-viral vaccine and is administered by standard vaccine introduction or by consumption of the edible portion of the transgenic plants, pref. in fruit or vegetable juice. The plant may be a tomato, tobacco or potato plant. US20010053367A An immunogen (I) derived from a mammalian virus is new and consists of a protein which is antigenic in its native state and is expressed in a plant. Also claimed are: (i) a transgenic plant expressing (I); (ii) a food contg. at least a portion of (I); and (iii) a plasmid vector or DNA fragment for transforming a plant and comprising DNA encoding (I) operably linked to a plant-functional promoter. USE - (I) may be used as an anti-viral vaccine and is administered by standard vaccine introduction or by consumption of the edible portion of the transgenic plants, pref. in fruit or vegetable juice. The plant may be a tomato, tobacco or potato plant. US20020006411A An immunogen (I) derived from a mammalian virus is new and consists of a protein which is antigenic in its native state and is expressed in a plant. Also claimed are: (i) a transgenic plant expressing (I); (ii) a food contg. at least a portion of (I); and (iii) a plasmid vector or DNA fragment for transforming a plant and comprising DNA encoding (I) operably linked to a plant-functional promoter. USE - (I) may be used as an anti-viral vaccine and is administered by standard vaccine introduction or by consumption of the edible portion of the transgenic plants, pref. in fruit or vegetable juice. The plant may be a tomato, tobacco or potato plant. WO 9420135A

CHOSEN-DRAWING: Dwg.0/9 Dwg.1/11

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)